AUTHOR AND SUBJECT INDEX: VOLUME 7, 1998

Author Index

Ackerman MH, Mick DJ. Instillation of normal saline before suctioning in patients with pulmonary infections: a prospective randomized controlled trial. 1998;7:261-266

Adams JE, Miracle VA. Cardiac biomarkers: past, present, and future. 1998;7:418-423

Adams MG (see Drew BJ et al) 1998;7:355-363

(see Pelter MM et al) 1998;7:412-417

Aloi A (see Burns SM et al) 1998;7:45-57

Andersen G (see Carroll KC et al) 1998;7:436-438

Anderson KM. Hypokalemic periodic paralysis: a case study. 1998:7:236-239

Baker SL (see Bennett SJ et al) 1998;7:168-174

Baldisseri M (see Rudy EB et al) 1998;7:267-281

Beahrs M (see Pengue S et al) 1998;7:175-182

Beasley C (see De Jong W et al) 1998;7:13-23

Beasley CL (see Evanisko MJ et al) 1998;7:4-12

Bennett SJ, Huster GA, Baker SL, Milgrom LB, Kirchgassner A, Birt J, Pressler ML. Characterization of the precipitants of hospitalization for heart failure decompensation. 1998;7:168-174

Birt J (see Bennett SJ et al) 1998;7:168-174

Bixby MB. Successful medical management of a patient with an anomalous right coronary artery who declined surgery. 1998:7:393-394

Bizek KS (see Campbell ML et al) 1998;7:85-89

Blatt L (see Diers D et al) 1998;7:143-148

Bowden SM, Matsco M, Worrey JA. Time of removal of femoral sheaths after interventional procedures: comparison of hemoglobin and hematocrit values. 1998;7:197-199

Bozzo J (see Diers D et al) 1998;7:143-148

Brigham LE (see Evanisko MJ et al) 1998;7:4-12

Bryan-Brown CW (see Dracup and Bryan-Brown) 1998;7:81-83

(see Dracup and Bryan-Brown) 1998;7:250-252

(see Dracup and Bryan-Brown) 1998;7:399-401

Bryan-Brown CW, Dracup K. Communicating the evidence. 1998;7:330-331

The patient is turned every 2 hours. 1998;7:165-167

-Thinking outside the box and other resolutions. 1998;7:1-3

Bumgarner B (see Simon A et al) 1998;7:308-313

Burns JE (see Burns SM et al) 1998;7:45-57

Burns S (see Knebel A et al) 1998;7:149-152

Burns SM, Marshall M, Burns JE, Ryan B, Wilmoth D, Carpenter R, Aloi A, Wood M, Truwit JD. Design, testing, and results of an outcomes-managed approach to patients requiring prolonged mechanical ventilation. 1998;7:45-57

Byers LA (see Kiely M et al) 1998;7:436-438

Campbell ML, Bizek KS, Stewart R. Integrating technology with compassionate care: withdrawal of ventilation in a conscious patient with apnea. 1998;7:85-89

Campbell R (see Morse D et al) 1998;7:426-428

Capossela C (see Evanisko MJ et al) 1998;7:4-12

Carpenter R (see Burns SM et al) 1998;7:45-57

Carroll D (see Kiely M et al) 1998;7:436-438

Carroll E (see Kiely M et al) 1998;7:436-438

Carroll KC, Reeves LM, Andersen G, Ray FM, Clopton PL, Shively M, Tarazi RY. Risks associated with removal of ventricular epicardial pacing wires after cardiac surgery. 1998;7:444-449

Chambers CE (see Dabbs AD et al) 1998;7:117-122

Cheek DJ (see McHugh and Cheek) 1998;7:131-140

Chou TM (see Drew BJ et al) 1998;7:355-363

Clark K (see Simon A et al) 1998;7:308-313

Clochesy JM (see Knebel A et al) 1998;7:149-152

(see Rudy EB et al) 1998;7:267-281

Clopton PL (see Carroll KC et al) 1998;7:444-449

Cosgrove GR (see Evanisko MJ et al) 1998;7:4-12

Crego PJ, Lipp EJ. Nurses' knowledge of advance directives. 1998;7:218-223

Curley MAQ. Patient-nurse synergy: optimizing patients' outcomes. 1998;7:64-72

Curley MAQ, Fackler JC. Weaning from mechanical ventilation: patterns in young children recovering from acute hypoxic respiratory failure. 1998;7:335-345

Dabbs AD, Chambers CE, Macauley K. Complications after placement of an intracoronary stent: nursing implications. 1998;7:117-122

Daffurn K. Roles of acute care nurse practitioners, physician assistants, and resident physicians in acute care settings. 1998:7:253-254

Daly B (see Rudy EB et al) 1998;7:267-281

Davidson LJ (see Rudy EB et al) 1998;7:267-281

DeJong W, Franz HG, Wolfe SM, Nathan H, Payne D, Reitsma W, Beasley C. Requesting organ donation: an interview study of donor and nondonor families. 1998;7:13-23

Delbuono N (see Scott SS et al) 1998;7:60-63

Deutsch J (see Penque S et al) 1998;7:175-182

Diers D, Bozzo J, Blatt L, Roussel M. Understanding nursing resources in intensive care: a case study. 1998;7:143-148

Doering LV, Imperial-Perez F, Monsein S, Esmailian F. Preoperative and postoperative predictors of early and delayed extubation after coronary artery bypass surgery. 1998;7:37-44 Doll N (see Pengue S et al) 1998;7:175-182

Dracup K (see Bryan-Brown and Dracup) 1998;7:1-3

(see Bryan-Brown and Dracup) 1998;7:165-167

(see Bryan-Brown and Dracup) 1998;7:330-331

Dracup K, Bryan-Brown CW. Asking difficult questions. 1998;7:399-401

One more critical care nursing shortage. 1998;7:81-83

-The invisible profession. 1998;7:250-252

Drew BJ (see Pelter MM et al) 1998;7:411-417

Drew BJ, Pelter MM, Adams MG, Wung SF, Chou TM, Wolfe CL. 12-Lead ST-segment monitoring vs single-lead maximum ST-segment monitoring for detecting ongoing ischemia in patients with unstable coronary syndromes. 1998;7:355-363

Dunham G (see Esposito GA et al) 1998;7:123-130

Durand D (see Franck LS et al) 1998;7:364-369

Dzubay S (see Penque S et al) 1998;7:175-182 Elliott S (see Scott SS et al) 1998;7:60-63

Esmailian F (see Doering et al) 1998;7:37-44

Esposito GA, Dunham G, Granger BB, Tudor GE, Granger CB. Converting IV nitroglycerin therapy to nitroglycerin ointment therapy: a comparison of two methods. 1998;7:123-130

Evanisko MJ, Beasley CL, Brigham LE, Capossela C, Cosgrove GR, Light J, Mellor S, Poretsky A, McNamara P. Readiness of critical care physicians and nurses to handle requests for organ donation. 1998;7:4-12

Fackler JC (see Curley and Fackler) 1998;7:335-345 Ferrans CE (see Medland and Ferrans) 1998;7:24-29

Ferrin M (see Schwenker D et al) 1998;7:255-260

Fincher RK, Strong JS, Jackson JL. Accuracy of measurements of hemoglobin and potassium in blood samples from peripheral catheters. 1998;7:439-443

Franck LS, Vilardi J, Durand D, Powers R. Opioid withdrawal in neonates after continuous infusions of morphine or fentanyl during extracorporeal membrane oxygenation. 1998;7:364-369

Franz HG (see De Jong W et al) 1998;7:13-23

Frederick C (see Uzark K et al) 1998;7:101-105

Futterman LG, Lemberg L. Encephalopathies following cardiac surgery. 1998;7:450-453

Fifty percent of patients with coronary artery disease do not have any of the conventional risk factors. 1998;7:240-244

-Inflammation in plaque rupture; an active participant or an invited guest? 1998;7:153-161

-The ECG in cardiac stress testing: a valuable, but unappreciated source of clues. 1998;7:320-327

Gawlinski A. Can measurement of mixed venous oxygen saturation replace measurement of cardiac output in patients with advanced heart failure? 1998;7:374-380

Gift AG (see Schwenker D et al) 1998;7:255-260

Gift AG, Narsavage G. Validity of the numeric rating scale as a measure of dyspnea. 1998;7:200-204

Giuliano KK (see Scott SS et al) 1998;7:60-63

Grady KL, Jalowiec A, White-Williams C. Quality of life 6 months after heart transplantation compared with indicators of illness severity before transplantation. 1998;7:106-116

Granger BB (see Esposito GA et al) 1998;7:123-130

Granger CB (see Esposito GA et al) 1998;7:123-130

Greenwood R (see Kiely M et al) 1998;7:436-438 Halm M (see Penque S et al) 1998;7:175-182

Hanneman SK. Pattern recognition: a complex process. 1998:7:332-334

(see Knebel A et al) 1998;7:149-152

Happ MB. Treatment interference in acutely and critically ill adults. 1998;7:224-235

Hayes EC, L'Ecuyer KM. A standard of care for radial artery grafting. 1998;7:429-435

Hravnak M (see Rudy EB et al) 1998;7:267-281

Huster GA (see Bennett SJ et al) 1998;7:168-174

Imperial-Perez F (see Doering et al) 1998;7:37-44

Israel S (see Simon A et al) 1998;7:308-313 Jackson JL (see Fincher RK et al) 1998;7:439-443

Jacob DA. Family members' experiences with decision making for incompetent patients in the ICU: a qualitative study. 1998;7:30-36

Jalowiec A (see Grady KL et al) 1998;7:106-116 Jiricka MK (see Leske and Jiricka) 1998;7:383-392

Kaye W (see Mancini and Kaye) 1998;7:314-319

Keller KB, Lemberg L. Coronary artery disease-ignored in women or inherently more lethal in women? 1998;7:77-79

-Therapy for hyperlipidemia when it is the only risk factor-fact or fiction? 1998;7:395-397

Kerr ME, Sereika SM, Orndoff P, Weber B, Rudy EB, Marion D, Stone K, Turner B. Effect of neuromuscular blockers and opiates on the cerebrovascular response to endotracheal suctioning in adults with severe head injuries. 1998;7:205-217

Kiely M, Byers LA, Greenwood R, Carroll E, Carroll D. Thermodilution measurement of cardiac output in patients with low output: room-temperature versus iced injectate. 1998;7:436-438

Kirchgassner A (see Bennett SJ et al) 1998;7:168-174

Knebel A, Shekleton ME, Burns S, Clochesy JM, Hanneman SK. Weaning from mechanical ventilatory support: refinement of a model. 1998;7:149-152

Knebel AR (see Smatlak and Knebel) 1998;7:370-373

Lamberti JJ (see Uzark K et al) 1998;7:101-105

L'Ecuyer KM (see Hayes and L'Ecuyer) 1998;7:429-435

Lemberg L (see Futterman and Lemberg) 1998;7:153-161

-(see Futterman and Lemberg) 1998;7:240-244

(see Futterman and Lemberg) 1998;7:320-327

-(see Futterman and Lemberg) 1998;7:450-453

—(see Keller and Lemberg) 1998;7:77-79 (see Keller and Lemberg) 1998;7:395-397

Leske JS, Jiricka MK. Impact of family demands and family strengths and capabilities on family well-being and adaptation after critical injury. 1998;7:383-392

Light J (see Evanisko MJ et al) 1998;7:4-12

Lipp EJ (see Crego and Lipp) 1998;7:218-223

Macauley K (see Dabbs AD et al) 1998;7:117-122

Mainwaring RD (see Uzark K et al) 1998;7:101-105

Mancini ME, Kaye W. In-hospital first-responder automated external defibrillation: what critical care practitioners need to know. 1998:7:314-319

Marion D (see Kerr ME et al) 1998;7:205-217

Marshall M (see Burns SM et al) 1998;7:45-57

Matsco M (see Bowden SM et al) 1998;7:197-199

McHugh J, Cheek DJ. Nitric oxide and regulation of vascular tone: pharmacological and physiological considerations. 1998:7:131-140

McLaughlin L (see Penque S et al) 1998;7:175-182

McNamara P (see Evanisko MJ et al) 1998;7:4-12

Medland JJ. Ferrans CE. Effectiveness of a structured communication program for family members of patients in an ICU. 1998:7:24-29

Mellor S (see Evanisko MJ et al) 1998;7:4-12

Mick DJ (see Ackerman and Mick) 1998;7:261-266

Milgrom LB (see Bennett SJ et al) 1998;7:168-174

Miller LJ, Wiles-Pfeifler R. Propofol for the long-term sedation of a critically ill patient. 1998;7:73-76

Miracle VA (see Adams and Miracle) 1998;7:418-423

Molnar HM. Intra-aortic balloon pump: nursing implications for patients with an iliac artery approach. 1998;7:300-305

Monsein S (see Doering et al) 1998;7:37-44 Mook W (see Saul L et al) 1998;7:192-196

Moore JW (see Uzark K et al) 1998;7:101-105

Morse D, Campbell R, Riddle M. Transmyocardial revascularization: a case study. 1998;7:426-428

Narsavage G (see Gift and Narsavage) 1998;7:200-204

Nathan H (see De Jong W et al) 1998;7:13-23

Ogino MT (see Uzark K et al) 1998;7:101-105

Orndoff P (see Kerr ME et al) 1998;7:205-217

Paul SM (see Pelter MM et al) 1998;7:411-417

Pavne D (see De Jong W et al) 1998;7:13-23

Pelter MM (see Drew BJ et al) 1998;7:355-363

Pelter MM, Adams MG, Wung SF, Paul SM, Drew BJ. Peak time of occurrence of myocardial ischemia in the coronary care unit. 1998;7:411-417

Penque S, Halm M, Smith M, Deutsch J, Van Roekel M, McLaughlin L, Dzubay S, Doll N, Beahrs M. Women and coronary disease: relationship between descriptors of signs and symptoms and diagnostic and treatment course. 1998;7:175-182

Peters KL. Bathing premature infants: physiological and behavioral consequences. 1998;7:90-100

Poretsky A (see Evanisko MJ et al) 1998;7:4-12

Powers R (see Franck LS et al) 1998;7:364-369

Pressler ML (see Bennett SJ et al) 1998;7:168-174

Pysznik E (see Scott SS et al) 1998;7:60-63 Ray FM (see Carroll KC et al) 1998;7:444-449

Reeves LM (see Carroll KC et al) 1998;7:444-449

Reitsma W (see De Jong W et al) 1998;7:13-23 Richards KC. Effect of a back massage and relaxation intervention on sleep in critically ill patients. 1998;7:288-299

Riddle M (see Morse D et al) 1998;7:426-428

Riegel B. Training nontraditional responders to use automated external defibrillators. 1998;7:402-410

Rimmer JD (see Rimmer and Rimmer) 1998;7:346-354

Rimmer LK. Bedside monitoring of the QT interval. 1998;7:183-189 Rimmer LK, Rimmer JD. Comparison of 2 methods of measur-

ing the QT interval. 1998;7:346-354 Ross T (see Rudy EB et al) 1998;7:267-281

Roussel M (see Diers D et al) 1998;7:143-148

Rudy EB (see Kerr ME et al) 1998;7:205-217

Rudy EB, Davidson LJ, Daly B, Clochesy JM, Sereika S, Baldisseri M, Hravnak M, Ross T, Ryan C. Care activities and outcomes of patients cared for by acute care nurse practitioners, physician assistants, and resident physicians: a comparison. 1998;7:267-281

Ryan B (see Burns SM et al) 1998;7:45-57

Ryan C (see Rudy EB et al) 1998;7:267-281

Saul L, Smith J, Mook W. The safety of automatic versus manual blood pressure cuffs for patients receiving thrombolytic therapy. 1998;7:192-196

Schwenker D, Ferrin M, Gift AG. A survey of endotracheal suctioning with instillation of normal saline. 1998;7:255-260

Scott SS, Giuliano KK, Pysznik E, Elliott S, Welsh K, Delbuono N. Influence of port site on central venous pressure measurements from triple-lumen catheters in critically ill adults. 1998;7:60-63

Sereika S (see Rudy EB et al) 1998;7:267-281

Sereika SM (see Kerr ME et al) 1998;7:205-217

Shekleton ME (see Knebel A et al) 1998;7:149-152

Shively M (see Carroll KC et al) 1998;7:444-449

Simon A, Bumgarner B, Clark K, Israel S. Manual versus mechanical compression for femoral artery hemostasis after cardiac catheterization. 1998;7:308-313

Smatlak P, Knebel AR. Clinical evaluation of noninvasive monitoring of oxygen saturation in critically ill patients. 1998;7:370-373

Smith J (see Saul L et al) 1998;7:192-196

Smith M (see Penque S et al) 1998;7:175-182

Stearley HE. Patients' outcomes: intrahospital transportation and monitoring of critically ill patients by a specially trained ICU nursing staff. 1998;7:282-287

Stewart R (see Campbell ML et al) 1998;7:85-89

Stone K (see Kerr ME et al) 1998;7:205-217

Strong JS (see Fincher RK et al) 1998;7:439-443

Tarazi RY (see Carroll KC et al) 1998;7:444-449

Truwit JD (see Burns SM et al) 1998;7:45-57

Tudor GE (see Esposito GA et al) 1998;7:123-130

Turner B (see Kerr ME et al) 1998;7:205-217

Uzark K, Frederick C, Lamberti JJ, Worthen HM, Ogino MT, Mainwaring RD, Moore JW. Changing practice patterns for children with heart disease: a clinical pathway approach. 1998;7:101-105

Van Roekel M (see Penque S et al) 1998;7:175-182

Vilardi J (see Franck LS et al) 1998;7:364-369

Weber B (see Kerr ME et al) 1998;7:205-217

Welsh K (see Scott SS et al) 1998;7:60-63

White-Williams C (see Grady KL et al) 1998;7:106-116

Wiles-Pfeifler R (see Miller and Wiles-Pfeifler) 1998;7:73-76

Wilmoth D (see Burns SM et al) 1998;7:45-57

Wolfe CL (see Drew BJ et al) 1998;7:355-363

Wolfe SM (see De Jong W et al) 1998;7:13-23

Wood M (see Burns SM et al) 1998;7:45-57

Worrey JA (see Bowden SM et al) 1998;7:197-199

Worthen HM (see Uzark K et al) 1998;7:101-105

Wung SF (see Drew BJ et al) 1998;7:355-363
—(see Pelter MM et al) 1998;7:411-417

(see I chei Mini et al) 1996

Subject Index

Advance directives

Crego PJ, Lipp EJ. Nurses' knowledge of advance directives. 1998;7:218-223

Apnea

Campbell ML, Bizek KS, Stewart R. Integrating technology with compassionate care: withdrawal of ventilation in a conscious patient with apnea. 1998;7:85-89

Biochemistry

Adams JE, Miracle VA. Cardiac biomarkers: past, present, and future. 1998;7:418-423

Fincher RK, Strong JS, Jackson JL. Accuracy of measurements of

hemoglobin and potassium in blood samples from peripheral catheters. 1998;7:439-443

Biological markers

Adams JE, Miracle VA. Cardiac biomarkers: past, present, and future. 1998;7:418-423

Blood pressure determination

Saul L, Smith J, Mook W. The safety of automatic versus manual blood pressure cuffs for patients receiving thrombolytic therapy. 1998;7:192-196

Cardiac output determination

Gawlinski A. Can measurement of mixed venous oxygen saturation replace measurement of cardiac output in patients with advanced heart failure? 1998;7:374-382

Kiely M, Byers LA, Greenwood R, Carroll E, Carroll D. Thermodilution measurement of cardiac output in patients with low output: room-temperature versus iced injectate. 1998;7:436-438

Cardiac pacing, artificial

Carroll KC, Reeves LM, Andersen G, Ray FM, Clopton PL, Shively M, Tarazi RY. Risks associated with removal of ventricular epicardial pacing wires after cardiac surgery. 1998;7:444-449

Catheter removal

Simon A, Bumgarner B, Clark K, Israel S. Manual versus mechanical compression for femoral artery hemostasis after cardiac catheterization. 1998;7:308-313

Catheterization, peripheral

Fincher RK, Strong JS, Jackson JL. Accuracy of measurements of hemoglobin and potassium in blood samples from peripheral catheters. 1998;7:439-443

Cerebral ischemia

Futterman LG, Lemberg L. Encephalopathies following cardiac surgery. 1998;7:450-453

Coronary disease

Futterman LG, Lemberg L. Inflammation in plaque rupture: an active participant or an invited guest? 1998;7:153-161

Futterman LG, Lemberg L. Fifty percent of patients with coronary artery disease do not have any of the conventional risk factors. 1998;7:240-244

Keller KB, Lemberg L. Coronary artery disease—ignored in women or inherently more lethal in women? 1998;7:77-79

Keller KB, Lemberg L. Therapy for hyperlipidemia when it is the only risk factor—fact or fiction? 1998;7:395-397

Penque S, Halm M, Smith M, Deutsch J, Van Roekel M, McLaughlin L, Dzubay S, Doll N, Beahrs M. Women and coronary disease: relationship between descriptors of signs and symptoms and diagnostic and treatment course. 1998;7:175-182

Uzark K, Frederick C, Lamberti JJ, Worthen HM, Ogino MT, Mainwaring RD, Moore JW. Changing practice patterns for children with heart disease: a clinical pathway approach. 1998;7:101-105

Critical Path

Uzark K, Frederick C, Lamberti JJ, Worthen HM, Ogino MT, Mainwaring RD, Moore JW. Changing practice patterns for children with heart disease: a clinical pathway approach. 1998;7:101-105

Decision making, family

Jacob DA. Family members' experiences with decision making for incompetent patients in the ICU: a qualitative study. 1998;7:30-36

Defibrillation

Mancini ME, Kaye W. In-hospital first-responder automated external defibrillation: what critical care practitioners need to know. 1998;7:314-319

Riegel B. Training nontraditional responders to use automated external defibrillators. 1998;7:402-410

Drug therapy

Esposito GA, Dunham G, Granger BB, Tudor GE, Granger CB.

Converting IV nitroglycerin therapy to nitroglycerin ointment therapy: a comparison of two methods. 1998;7:123-130

Dyspnea

Gift AG, Narsavage G. Validity of the numeric rating scale as a measure of dyspnea. 1998;7:200-204

Electrocardiography

Drew BJ, Pelter MM, Adams MG, Wung SF, Chou TM, Wolfe CL. 12-Lead ST-segment monitoring vs single-lead maximum ST-segment monitoring for detecting ongoing ischemia in patients with unstable coronary syndromes. 1998;7:355-363

Futterman LG, Lemberg L. The ECG in cardiac stress testing: a valuable, but unappreciated source of clues. 1998;7:320-327

Rimmer LK. Bedside monitoring of the QT interval. 1998;7:183-189Rimmer LK, Rimmer JD. Comparison of 2 methods of measuring the QT interval. 1998;7:346-354

Extracorporeal membrane oxygenation

Franck LS, Vilardi J, Durand D, Powers R. Opioid withdrawal in neonates after continuous infusions of morphine or fentanyl during extracorporeal membrane oxygenation. 1998;7:364-369

Extubation

Doering LV, Imperial-Perez F, Monsein S, Esmailian F. Preoperative and postoperative predictors of early and delayed extubation after coronary artery bypass surgery. 1998;7:37-44

Extubation, traumatic

Happ MB. Treatment interference in acutely and critically ill adults. 1998;7:224-235

Family-centered care

Leske JS, Jiricka MK. Impact of family demands and family strengths and capabilities on family well-being and adaptation after critical injury. 1998;7:383-392

Medland JJ, Ferrans CE. Effectiveness of a structured communication program for family members of patients in an ICU. 1998;7:24-29

Fentanyl

Franck LS, Vilardi J, Durand D, Powers R. Opioid withdrawal in neonates after continuous infusions of morphine or fentanyl during extracorporeal membrane oxygenation. 1998;7:364-369

Head injuries

Kerr ME, Sereika SM, Orndoff P, Weber B, Rudy EB, Marion D, Stone K, Turner B. Effect of neuromuscular blockers and opiates on the cerebrovascular response to endotracheal suctioning in adults with severe head injuries. 1998;7:205-217

Health resource utilization

Diers D, Bozzo J, Blatt L, Roussel M. Understanding nursing resources in intensive care: a case study. 1998;7:143-148

Heart failure, congestive

Bennett SJ, Huster GA, Baker SL, Milgrom LB, Kirchgassner A, Birt J, Pressler ML. Characterization of the precipitants of hospitalization for heart failure decompensation. 1998;7:168-174

Gawlinski A. Can measurement of mixed venous oxygen saturation replace measurement of cardiac output in patients with advanced heart failure? 1998;7:374-382

Heart transplantation

Grady KL, Jalowiec A, White-Williams C. Quality of life 6 months after heart transplantation compared with indicators of illness severity before transplantation. 1998;7:106-116

Hyperlipidemia

Keller KB, Lemberg L. Therapy for hyperlipidemia when it is the only risk factor—fact or fiction? 1998;7:395-397

Hypokalemia

Anderson KM. Hypokalemic periodic paralysis: a case study. 1998;7:236-239

Infant, premature

Peters KL. Bathing premature infants: physiological and behavioral consequences. 1998;7:90-100

Intensive care, neonatal

Franck LS, Vilardi J, Durand D, Powers R. Opioid withdrawal in neonates after continuous infusions of morphine or fentanyl during extracorporeal membrane oxygenation. 1998;7:364-369

Intra-aortic balloon pumping

Molnar HM. Intra-aortic balloon pump: nursing implications for patients with an iliac artery approach. 1998;7:300-305

Laser surgery

Morse D, Campbell R, Riddle M. Transmyocardial revascularization: a case study. 1998;7:426-428

Monitoring, direct pressure

Scott SS, Giuliano KK, Pysznik E, Elliott S, Welsh K, Delbuono N. Influence of port site on central venous pressure measurements from triple-lumen catheters in critically ill adults. 1998;7:60-63

Morphine

Franck LS, Vilardi J, Durand D, Powers R. Opioid withdrawal in neonates after continuous infusions of morphine or fentanyl during extracorporeal membrane oxygenation. 1998;7:364-369

Myocardial ischemia

Pelter MM, Adams MG, Wung SF, Paul SM, Drew BJ. Peak time of occurrence of myocardial ischemia in the coronary care unit. 1998;7:411-417

Drew BJ, Pelter MM, Adams MG, Wung SF, Chou TM, Wolfe CL. 12-Lead ST-segment monitoring vs single-lead maximum ST-segment monitoring for detecting ongoing ischemia in patients with unstable coronary syndromes. 1998;7:355-363

Narcotics

Franck LS, Vilardi J, Durand D, Powers R. Opioid withdrawal in neonates after continuous infusions of morphine or fentanyl during extracorporeal membrane oxygenation. 1998;7:364-369

Kerr ME, Sereika SM, Orndoff P, Weber B, Rudy EB, Marion D, Stone K, Turner B. Effect of neuromuscular blockers and opiates on the cerebrovascular response to endotracheal suctioning in adults with severe head injuries. 1998;7:205-217

Neuromuscular nondepolarizing agents

Kerr ME, Sereika SM, Orndoff P, Weber B, Rudy EB, Marion D, Stone K, Turner B. Effect of neuromuscular blockers and opiates on the cerebrovascular response to endotracheal suctioning in adults with severe head injuries. 1998;7:205-217

Nitric oxide

McHugh J, Cheek DJ. Nitric oxide and regulation of vascular tone: pharmacological and physiological considerations. 1998;7:131-140

Nitroglycerin

Esposito GA, Dunham G, Granger BB, Tudor GE, Granger CB.
Converting IV nitroglycerin therapy to nitroglycerin ointment therapy: a comparison of two methods. 1998;7:123-130

Nurse practitioners

Daffurn K. Roles of acute care nurse practitioners, physician assistants, and resident physicians in acute care settings. 1998;7:253-254

Rudy EB, Davidson LJ, Daly B, Clochesy JM, Sereika S, Baldisseri M, Hravnak M, Ross T, Ryan C. Care activities and outcomes of patients cared for by acute care nurse practitioners, physician assistants, and resident physicians: a comparison. 1998;7:267-281

Nursing knowledge

Crego PJ, Lipp EJ. Nurses' knowledge of advance directives. 1998;7:218-223

Nursing practice

Bryan-Brown CW, Dracup K. The patient is turned every 2 hours. 1998;7:165-167

Bryan-Brown CW, Dracup K. Thinking outside the box and other resolutions. 1998;7:1-3

Dracup K, Bryan-Brown CW. Asking difficult questions. 1998; 7:399-401

Dracup K, Bryan-Brown CW. One more critical care nursing shortage. 1998;7:81-83

Dracup K, Bryan-Brown CW. The invisible profession. 1998;7:250-252

Organ procurement

Delong W, Franz HG, Wolfe SM, Nathan H, Payne D, Reitsma W, Beasley C. Requesting organ donation: an interview study

of donor and nondonor families. 1998;7:13-23

Evanisko MJ, Beasley CL, Brigham LE, Capossela C, Cosgrove GR, Light J, Mellor S, Poretsky A, McNamara P. Readiness of critical care physicians and nurses to handle requests for organ donation. 1998;7:4-12

Outcomes

Burns SM, Marshall M, Burns JE, Ryan B, Wilmoth D, Carpenter R, Aloi A, Wood M, Truwit JD. Design, testing, and results of an outcomes-managed approach to patients requiring prolonged mechanical ventilation. 1998;7:45-57

Curley MAQ. Patient-nurse synergy: optimizing patients' out-

comes. 1998;7:64-72

Rudy EB, Davidson LJ, Daly B, Clochesy JM, Sereika S, Baldisseri M, Hravnak M, Ross T, Ryan C. Care activities and outcomes of patients cared for by acute care nurse practitioners, physician assistants, and resident physicians: a comparison. 1998;7:267-281

Oxygen saturation

Gawlinski A. Can measurement of mixed venous oxygen saturation replace measurement of cardiac output in patients with advanced heart failure? 1998;7:374-382

Smatlak P, Knebel AR. Clinical evaluation of noninvasive monitoring of oxygen saturation in critically ill patients. 1998;7:370-373

Pediatric care

Uzark K, Frederick C, Lamberti JJ, Worthen HM, Ogino MT, Mainwaring RD, Moore JW. Changing practice patterns for children with heart disease: a clinical pathway approach. 1998;7:101-105

Physician assistants

Daffurn K. Roles of acute care nurse practitioners, physician assistants, and resident physicians in acute care settings. 1998;7:253-254

Rudy EB, Davidson LJ, Daly B, Clochesy JM, Sereika S, Baldisseri M, Hravnak M, Ross T, Ryan C. Care activities and outcomes of patients cared for by acute care nurse practitioners, physician assistants, and resident physicians: a comparison. 1998;7:267-281

Physician's role

Daffurn K. Roles of acute care nurse practitioners, physician assistants, and resident physicians in acute care settings. 1998;7:253-254

Rudy EB, Davidson LJ, Daly B, Clochesy JM, Sereika S, Baldisseri M, Hravnak M, Ross T, Ryan C. Care activities and outcomes of patients cared for by acute care nurse practitioners, physician assistants, and resident physicians: a comparison. 1998;7:267-281

Propofol

Miller LJ, Wiles-Pfeifler R. Propofol for the long-term sedation of a critically ill patient. 1998;7:73-76

Publishing

Bryan-Brown CW, Dracup K. Communicating the evidence. 1998;7:330-331

Quality of life

Grady KL, Jalowiec A, White-Williams C. Quality of life 6 months after heart transplantation compared with indicators of illness severity before transplantation. 1998;7:106-116

Radial artery

Hayes EC, L'Ecuyer KM. A standard of care for radial artery grafting. 1998;7:429-435

Relaxation techniques

Richards KC. Effect of a back massage and relaxation intervention on sleep in critically ill patients. 1998;7:288-299

Scales

Gift AG, Narsavage G. Validity of the numeric rating scale as a measure of dyspnea. 1998;7:200-204

Sedation

Miller LJ, Wiles-Pfeifler R. Propofol for the long-term sedation of a critically ill patient. 1998;7:73-76

Sheath removal

Bowden SM, Matsco M, Worrey JA. Time of removal of femoral sheaths after interventional procedures: comparison of hemoglobin and hematocrit values. 1998;7:197-199

Sleep

Richards KC. Effect of a back massage and relaxation intervention on sleep in critically ill patients. 1998;7:288-299

Stents

Dabbs AD, Chambers CE, Macauley K. Complications after placement of an intracoronary stent: nursing implications. 1998;7:117-122

Suctioning, endotracheal

Ackerman MH, Mick DJ. Instillation of normal saline before suctioning in patients with pulmonary infections: a prospective randomized controlled trial. 1998;7:261-266

Kerr ME, Sereika SM, Orndoff P, Weber B, Rudy EB, Marion D, Stone K, Turner B. Effect of neuromuscular blockers and opiates on the cerebrovascular response to endotracheal suctioning in adults with severe head injuries. 1998;7:205-217

Schwenker D, Ferrin M, Gift AG. A survey of endotracheal suctioning with instillation of normal saline. 1998;7:255-260

Surgery, cardiovascular

Carroll KC, Reeves LM, Andersen G, Ray FM, Clopton PL, Shively M, Tarazi RY. Risks associated with removal of ventricular epicardial pacing wires after cardiac surgery. 1998;7:444-449

Doering LV, Imperial-Perez F, Monsein S, Esmailian F. Preoperative and postoperative predictors of early and delayed extubation after coronary artery bypass surgery. 1998;7:37-44

Futterman LG, Lemberg L. Encephalopathies following cardiac surgery. 1998;7:450-453

Hayes EC, L'Ecuyer KM. A standard of care for radial artery grafting. 1998;7:429-435

Morse D, Campbell R, Riddle M. Transmyocardial revascularization: a case study. 1998;7:426-428

Terminal care

Dracup K, Bryan-Brown CW. Asking difficult questions. 1998; 7:399-401

Thermodilution

Kiely M, Byers LA, Greenwood R, Carroll E, Carroll D. Thermodilution measurement of cardiac output in patients with low output: room-temperature versus iced injectate. 1998;7:436-438

Thrombolytic therapy

Saul L, Smith J, Mook W. The safety of automatic versus manual blood pressure cuffs for patients receiving thrombolytic therapy. 1998;7:192-196

Transportation of patients

Stearley HE. Patients' outcomes: intrahospital transportation and monitoring of critically ill patients by a specially trained ICU nursing staff. 1998;7:282-287

Ventilation, mechanical

Burns SM, Marshall M, Burns JE, Ryan B, Wilmoth D, Carpenter R, Aloi A, Wood M, Truwit JD. Design, testing, and results of an outcomes-managed approach to patients requiring prolonged mechanical ventilation. 1998;7:45-57

Campbell ML, Bizek KS, Stewart R. Integrating technology with compassionate care: withdrawal of ventilation in a conscious

patient with apnea. 1998;7:85-89

Ventilator weaning Hanneman SK. Pattern recognition: a complex process. 1998;7:332-334

Knebel A, Shekleton ME, Burns S, Clochesy JM, Hanneman SK. Weaning from mechanical ventilatory support: refinement of a model. 1998;7:149-152